Food Establishment Inspection Report

Establishment Name: FOOD LION PRODUCE #1510	Establishment ID: <u>3034020821</u>			
Location Address: 3800 REYNOLDA RD.				
City: WINSTON SALEM State: North Carolina	$D_{\rm rel} = 0.1/0.8/20.24$ Otation Order A			
Zip: 27106 County: 34 Forsyth	Date: 04/08/2024 Status Code: A			
Permittee: FOOD LION, LLC	Time In: 11:32 AM Time Out:12:45 PM			
	Category#: II Produce Department and Salad			
Telephone: (336) 922-6261	FDA Establishment Type: Bar			
⊗ Inspection ○ Re-Inspection ○ Educational Visit				
Wastewater System:				
🖄 Municipal/Community 🛛 🔿 On-Site System	No. of Risk Factor/Intervention Violations: 1			
Water Supply:	No. of Repeat Risk Factor/Intervention Violations: 0			
Ø Municipal/Community ○ On-Site Supply				
Foodborne Illness Risk Factors and Public Health Interventions	Good Retail Practices			
Risk factors: Contributing factors that increase the chance of developing foodborne illness.	Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,			
Public Health Interventions: Control measures to prevent foodborne illness or injury	and physical objects into foods.			
Compliance Status OUT CDI R VR	Compliance Status OUT CDI R VR			
Supervision .2652	Safe Food and Water .2653, .2655, .2658			
1 NOUTINA PIC Present, demonstrates knowledge, & 1 0	30 IN OUT 🖗 Pasteurized eggs used where required 1 0.5 0			
2 Xoutiva performs duties 1 0 2 Xoutiva Certified Food Protection Manager 1 0	31 X OUT Water and ice from approved source 2 1 0			
2 X OUT NA Certified Food Protection Manager 1 0 Employee Health .2652	32 IN OUT WA Variance obtained for specialized processing 2 1 0			
	Food Temperature Control .2653, .2654			
knowledge, responsibilities & reporting				
Proper use of reporting, restriction & exclusion 3 1.5 0 Procedures for responding to vomiting & 1 0 0	33 X out Proper cooling methods used; adequate equipment for temperature control 1 0.5 0			
5 Kout Procedures for responding to vomiting & 1 0.5 0	34 IN OUT XA N/O Plant food properly cooked for hot holding 1 0.5 0			
Good Hygienic Practices .2652, .2653	35 IN OUT MA NO Approved thawing methods used 1 0.5 0			
6 Your Proper eating, tasting, drinking or tobacco use 1 0.5 0 7 Your No discharge from eyes, nose, and mouth 1 0.5 0	36 Xout Thermometers provided & accurate 1 0.5 0			
Preventing Contamination by Hands .2652, .2653, .2655, .2656	Food Identification .2653			
8 (x) out Hands clean & properly washed 4 2 0	37 Xour Food properly labeled: original container 2 1 0			
No bare hand contact with RTE foods or pre-	Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657			
approved alternate procedure property followed	38 X out Insects & rodents not present; no unauthorized 2 1 0			
	Contomination provented during feed			
Approved Source .2653, .2655 11 (X)out Food obtained from approved source 2 1 0	preparation, storage & display 2 1 0			
12 IN OUT NO Food received at proper temperature 2 1 0	40 ½ Out Personal cleanliness 1 0.5 0 41 ½ Out Wiping cloths: properly used & stored 1 0.5 0			
13 X out Food in good condition, safe & unadulterated 2 1 0	41 X Out Wiping cloths: properly used & stored 1 0.5 0 42 X Out Washing fruits & vegetables 1 0.5 0			
14 IN OUT MANO Required records available: shellstock tags, 2 1 0	42 X 001 X Vegetables 1 0.5 0 Proper Use of Utensils .2653, .2654 .26554 .2654 .26554			
Protection from Contamination .2653, .2654	43 X out In-use utensils: properly stored 1 0.5 0			
15 Xoutwawo Food separated & protected 3 1.5 0	Utensils, equipment & linens: properly stored,			
16 x out Food-contact surfaces: cleaned & sanitized 3 1.5 0	44 X 001 dried & handled 1 0.5 0			
17 X out Proper disposition of returned, previously served, 2 1 0	45 ⋈ out Single-use & single-service articles: properly 1 0.5 0			
Potentially Hazardous Food Time/Temperature .2653	46 X OUT Gloves used properly 1 0.5 0			
18 IN OUT NO Proper cooking time & temperatures 3 1.5 0	Utensils and Equipment .2653, .2654, .2663			
19 IN OUT WAR WO Proper reheating procedures for hot holding 3 1.5 0	Equipment, food & non-food contact surfaces			
20 IN OUT N/A WO Proper cooling time & temperatures 3 1.5 0 21 IN OUT WA WO Proper hot holding temperatures 3 1.5 0	47 IN XT approved, cleanable, properly designed, 1 X 0 X			
22 IN OXT N/AN/O Proper cold holding temperatures 3 115 0 X	constructed & used			
23 X OUT N/AN/O Proper date marking & disposition 3 1.5 0	48 X our Warewashing facilities: installed, maintained & 1 0.5 0			
24 IN OUT WAYO Time as a Public Health Control; procedures & 3 1.5 0	49 X out Non-food contact surfaces clean 1 0.5 0			
Consumer Advisory .2653	Physical Facilities .2654, .2655, .2656			
25 IN OUT NA Consumer advisory provided for raw/	50 X out N/A Hot & cold water available; adequate pressure 1 0.5 0			
	51 X out Plumbing installed; proper backflow devices 2 1 0 52 X out Sewage & wastewater properly disposed 2 1 0			
Highly Susceptible Populations .2653	Tailet facilities, preparty constructed outplied			
26 IN OUT M Fasted roots used, prohibited roots flot 3 1.5 0	53 X 001 N/A & cleaned 1 0.5 0			
Chemical .2653, .2657	54 X OUT Garbage & refuse properly disposed; facilities 1 0.5 0			
27 IN out Food additives: approved & properly used 1 0.5 0 28 Out Nuk Toxic substances properly identified stored & used 2 1 0	55 IN QAT Physical facilities installed, maintained & clean X 0.5 0 X			
Conformance with Approved Procedures .2653, .2654, .2658	56 M OUT Meets ventilation & lighting requirements;			
Compliance with variance, specialized process,	designated areas used 1 0.5 0			
29 IN OUT A reduced oxygen packaging criteria or HACCP plan 2 1 0	TOTAL DEDUCTIONS: 3			

TOTAL DEDUCTIONS: 3

4 h k s

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 1 of _____Food Establishment Inspection Report, 12/2023

NCPH North Carolina Public Health

Comment Addendum to Food Establishment Inspection Report

Establishment Name: FOOD LION PRODUCE #1510	Establishment ID: 3034020821				
Location Address: <u>3800 REYNOLDA RD.</u> City: WINSTON SALEM State:	X Inspection Re-Inspection Date: 04/08/2024 NC Educational Visit Status Code: A				
County: <u>34 Forsyth</u> Zip: 27106	Comment Addendum Attached? X Category #: II				
Wastewater System: X Municipal/Community On-Site System Water Supply: X Municipal/Community On-Site System	Email 1:s1510sm@delhaize.com				
Permittee: FOOD LION, LLC	Email 2:s1510gm@delhaize.com				
Telephone: (336) 922-6261	Email 3:				

		Temperature Observ	alions		
Item/Location	Temp	Item/Location	Temp	Item/Location Te	emp
Watermelon/produce cooler	40.0				
Ambient/walk-in cooler	36.0				
Watermelon/produce cooler	48.0				
Mixed Fruit/produce cooler	40.0				
Canteloupe/produce cooler	41.0				
Hot Water/3-compartment sink	123.0				
Quat Sani/3-compartment sink	300.0				
	First	Last		1 1	
Person in Charge (Print & Sig		Massey			
	First	Last			
Regulatory Authority (Print & Sig	n): Victoria	Murphy	hall		
REHS ID:2795 - Murphy, Victori	а	Verification Dates: Priority:	F	Priority Foundation: Core:	
REHS Contact Phone Number: (33		Authorize final report to be received via Email:			

Establishment Name: FOOD LION PRODUCE #1510

Establishment ID: 3034020821

Date: 04/08/2024 Time In: 11:32 AM Time Out: 12:45 PM

Certifications							
Name	Certificate #	Туре	Issue Date	Expiration Date			
lan Lattimer		Food Service	05/11/2023	05/11/2028			
Violatio		servations and Cor corrected within the time frames		ns 8-405.11 of the food code.			

22 3-501.16 (A) (2) and (B) Time / Temperature Control for Safety Food, Hot and Cold Holding-P: Several slices of watermelon in the produce case measured at temperature ranges of 46 F-48 F. TCS food shall be maintained at a temperature of 41 F or below. CDI: All items were discarded.

^{47 4-501.11} Good Repair and Proper Adjustment - Equipment-REPEAT-C: Remove moldy caulk from around beams in the walk-in cooler and recaulk. Equipment shall be maintained in good repair. *different violation than noted from previous inspection*

^{55 6-501.11} Repairing - Premises, Structures, Attachments, and Fixtures - Methods-REPEAT-C: Recaulk around 1st toilet in women's restroom/recaulk toilet in men's employee restroom and men's customer restroom. Physical facilities shall be maintained in good repair.