Food Establishment Inspection	Report	Score: <u>98.5</u>					
Establishment Name: CENTENARY UNITED METHO	DIST CH	Establishment ID: 3034011605					
Location Address: 646 W 5TH ST		☐ Inspection ☐ Re-Inspection					
City: WINSTON SALEM	State: NC	Date: Ø9 / 17 / 2019 Status Code: A					
Zip: 27101 County: 34 Forsyth	Time In: 11 : 30° m 30° Time Out: 01 : 25° m 30° m						
Permittee: CENTENARY UMC Total Time: <u>1 hr 55 minutes</u>							
		Category #: IV					
Telephone: (336) 724-6311		FDA Establishment Type: Full-Service Restaurant					
Wastewater System: Municipal/Community	No. of Risk Factor/Intervention Violations: 1						
Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations:							
Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices							
Risk factors: Contributing factors that increase the chance of developing food		Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.					
Public Health Interventions: Control measures to prevent foodborne illness o IN OUT N/A N/O Compliance Status	r injury. OUT CDI R VR						
Supervision .2652		Safe Food and Water .2653, 2655, 2658					
1 Image: Second state of the second state of t	2000	28 C Pasteurized eggs used where required					
Employee Health .2652		29 🛛 🗌 Water and ice from approved source 210					
2 X Image: Management, employees knowledge; responsibilities & reporting	3150 🗆 🗆 🗆	30 U X Variance obtained for specialized processing					
3 🛛 🗆 Proper use of reporting, restriction & exclusion	31.50	Food Temperature Control .2653, .2654					
Good Hygienic Practices .2652, .2653		31 🛛 🗌 Proper cooling methods used; adequate equipment for temperature control					
4 🛛 🗆 Proper eating, tasting, drinking, or tobacco use		□ 32 🛛 □ □ □ Plant food properly cooked for hot holding □ □					
5 Image: Solution of the second		33 🛛 🗌 🔲 Approved thawing methods used					
Preventing Contamination by Hands .2652, .2653, .2655, .2655 6 🛛 🗋 Hands clean & property washed	420000	□ 34 🛛 □ Thermometers provided & accurate 1 ⊡ ① □					
		Food Identification .2653					
7 X D Approved alternate procedure properly followed		35 ☑ □ Food properly labeled: original container 210 □					
8 Image: Second state Approved Source .2653, .2655		Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657					
9 X Food obtained from approved source	210000	36 🛛 🗌 Insects & rodents not present; no unauthorized 210					
10 Image: Section of the section of		□ Contamination prevented during food preparation, storage & display □					
11 X Food in good condition, safe & unadulterated		□ 38 🛛 □ Personal cleanliness					
12 C Required records available: shellstock tags,		39 ☑ □ Wiping cloths: properly used & stored □ □					
Protection from Contamination .2653, .2654		↓ 40 🛛 🗌 🔲 Washing fruits & vegetables 1030 🗋 🖸					
13 🛛 🗌 🗍 Food separated & protected	31.50	Proper Use of Utensils .2653, .2654					
14 🛛 🗌 Food-contact surfaces: cleaned & sanitized	31.50	41 🛛 🗌 In-use utensils: properly stored					
Proper disposition of returned, previously served,		U 42 ⊠ Utensils, equipment & linens: properly stored, dried & handled					
15 Image: Constraint of the second seco		□ 43 ⊠ □ Single-use & single-service articles: properly stored & used					
16 🔲 🗌 🖾 Proper cooking time & temperatures	31.50	□ 44 🛛 □ Gloves used properly 1 🖾 0 □					
17 🛛 🗆 🗆 Proper reheating procedures for hot holding	31.50	Utensils and Equipment .2653, .2654, .2663					
18 🛛 🗌 🔲 Proper cooling time & temperatures	31.50	45 X C Cleanable, properly designed, constructed, & used					
19 🛛 🗌 🔲 Proper hot holding temperatures	3150	46 ⊠ □ Warewashing facilities: installed, maintained, & 1030 □ □					
20 🛛 🗀 🗀 Proper cold holding temperatures	3150	47 ⊠ Non-food contact surfaces clean 1030					
21 🔲 🔀 🔲 Proper date marking & disposition	3808	Physical Facilities .2654, .2655, .2656					
22 Time as a public health control: procedures & records	210	48 🛛 □ □ Hot & cold water available; adequate pressure 210 □ □					
Consumer Advisory .2653		49 🗌 🛛 Plumbing installed; proper backflow devices					
23 Image: Second se	10.50	50 🛛 🗆 Sewage & waste water properly disposed 210 🗆					
Highly Susceptible Populations .2653		51 🛛 🗆 Toilet facilities: properly constructed, supplied					
		52 🛛 Garbage & refuse property disposed; facilities					
Chemical .2653, .2657 25 Image: Chemical interview Food additives: approved & properly used		53 X Physical facilities installed, maintained & clean 1 X X					
26 X Image: Construction of the state of		Meets ventilation & lighting requirements;					
Conformance with Approved Procedures		□ 34 🖾 □ designated areas used · · · · · · · · · · · · · · · · · · ·					
27 □ □ ⊠ Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	210	Total Deductions: 1.5					

the

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Inspection Report						
stablishment Name: <u>CENTENARY UNITED METHODIST CH</u>	Establishment ID: 3034011605					
Location Address: 646 W 5TH ST City: WINSTON SALEM State: NC County: 34 Forsyth Zip: 27101 Wastewater System: X Municipal/Community On-Site System Water Supply: X Municipal/Community On-Site System Permittee: CENTENARY UMC Telephone: (336) 724-6311	☑ Inspection □ Re-Inspection Date: <u>09/17/2019</u> Comment Addendum Attached? ☑ Status Code: A Water sample taken? □ Yes ☑ No Category #: IV Email 1: dmitchell@centenary.org Email 2: Email 3:					
Temperature Observations						

F

	Cold Holding Temperature is now 41 Degrees or less								
ltem ServSafe	Location Donald M. 5-1-23	Temp 00	ltem Gravy	Location Cooling 11:40	Temp 94	Item	Location	Temp	
Hot water	2 comp sink	129	Gravy	Cooling 12:00 .55 rate	83				
Hot water	Dishmachine	172	Sausage mix	Walk-in cooler	28				
Chlorine sani	Spray bottle ppm	50	Ambient	Upright 2	33				
Mixed veg.	Reheat	167							
C.F. Steak	Hot hold cabinet	164							
Rice	Hot hold cabinet	156							
Wings	Upright 1	39							

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 3-501.17 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking PF Gallon of milk and container of cooked wings in two-door upright cooler lacking date mark. / Sausage ball mixture (containing milk) lacking date mark. Ready-to-eat, potentially hazardous food prepared and held in a food establishment for 24 hours or more shall be marked to indicate the date or day by which the food shall be consumed, sold, or discarded based on the time and temperature combinations (if held at 41F and below for 7 days). / Ready-to-eat, potentially hazardous food prepared and packaged by a food processing plant shall be clearly marked, at the time the original container is opened and if held for more than 24 hours, to indicate the date or day by which the food shall be consumed, sold, or discarded, based on the temperature and time combinations - the day the original container is opened in the food establishment shall be counted as Day 1. CDI: PIC added date label.
- 49 5-205.15 (B) System maintained in good repair C Urinal in men's restroom has been taken off wall and is sitting on floor of restroom. Repair. A plumbing system and their attached fixtures shall be maintained in good repair.
- 53 6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed C Repeat. (With improvements since last inspection) Women's restroom off of lobby and men's restroom at dressing room has worn cove base between juncture of wall tile and floor tile (used for temporary use due to renovation of designated restrooms). In food establishments in which cleaning methods other than water flushing are used for cleaning floors, the floor and wall junctures shall be coved and closed to no larger than 1mm.

Lock							
Text							
\bigcirc							
\bigcirc							
	First	Last					
Person in Charge (Print & Sign):			Hame				
	First	Last					
Regulatory Authority (Print & Sign):		HITLEY	Christyle hitley RENS				
			V U				
REHS ID: 2610	- Whitley, Christy		Verification Required Date: / /				
REHS Contact Phone Number: (33	<u>6)703</u> - <u>3157</u>	<u></u>	·	-			
North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program							
Page 2 of Food Establishment Inspection Report, 3/2013							

Establishment ID: 3034011605

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: 3034011605

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: <u>3034011605</u>

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: 3034011605

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

