Food Establishment Inspection	n Report	Sc	ore: <u>96</u>		
Establishment Name: BONEFISH GRILL		Establishment ID: 3034011612			
Location Address: 300 S STRATFORD RD		☐ Re-Inspection			
City: WINSTON SALEM	State: NC	Date: 11/14/2019 Status Code: A			
24 From the Time ln: $(3 \div 0.8 \bigcirc am)$ Time Out: $(5 \div 1.6 \bigcirc am)$					
Telephone: (336) 724-4518 Westewater System: Municipal/Community On Site System FDA Establishment Type:					
Wastewater System: Amunicipal/communityOn-Site System No. of Risk Factor/Intervention Violations: 2					
Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1					
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury. Built Health Interventions: Control measures to prevent foodborne illness or injury.					
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN OUT N/A N/O Compliance Status	OUT CDI R VR		
Supervision .2652		Safe Food and Water .2653, .2655, .2658			
1 Image: Second system PIC Present; Demonstration-Certification by accredited program and perform duties		28 Image: Second state 29 Image: Second state 20 Image: Second state 28 Image: Second state 29 Image: Second state 29 Image: Second state 29 Image: Second state 20 Image: Second state 20			
Employee Health .2652 2 X Management, employees knowledge;		29 Image: Water and ice from approved source	210		
responsibilities & reporting	31.50	30 C Variance obtained for specialized processing methods	1050 🗆 🗆 🗆		
3 X Proper use of reporting, restriction & exclusion Good Hygienic Practices .2652, .2653	3 1.5 0	Food Temperature Control .2653, .2654 21 Proper cooling methods used; adequate			
4 X Proper eating, tasting, drinking, or tobacco use	21000	31 🛛 🗆 Proper cooling methods used; adequate equipment for temperature control			
5 Image: State of the state		32 Plant food properly cooked for hot holding	1050		
Preventing Contamination by Hands .2652, .2653, .2655, .2656		33 🛛 🗆 🗆 Approved thawing methods used			
6 🛛 🗌 Hands clean & properly washed	420	34 🛛 🗌 Thermometers provided & accurate	1050 🗆 🗆 🗆		
7 🛛 🗆 🗆 No bare hand contact with RTE foods or pre-	31.50	Food Identification .2653			
/ Image: Constraint of the second		35 🛛 🗆 Food properly labeled: original container			
Approved Source .2653, .2655		Prevention of Food Contamination .2652, .2653, .2654, .2656, .265			
9 🛛 🗌 Food obtained from approved source	21000	animals			
10 🗌 🔛 🔀 Food received at proper temperature	210	preparation, storage & display	21×000		
11 🛛 🗌 Food in good condition, safe & unadulterated	21000	38 🛛 🗌 Personal cleanliness	1050		
12 🔽 🗖 🗖 Required records available: shellstock tags,		39 X Wiping cloths: properly used & stored			
Protection from Contamination .2653, .2654		40 🛛 🗆 Washing fruits & vegetables			
13 🛛 🗆 🗆 Food separated & protected	31.50	Proper Use of Utensils .2653, .2654			
14 🔲 🔀 Food-contact surfaces: cleaned & sanitized	3×0××□	41 X IIII In-use utensils: properly stored			
15 🛛 🗆 Proper disposition of returned, previously served reconditioned, & unsafe food	I, <u>210</u>	42 Utensils, equipment & linens: properly stored, dried & handled			
Potentially Hazardous Food Time/Temperature .2653		43 Single-use & single-service articles: properly stored & used	1050		
16 🛛 🗆 🗆 Proper cooking time & temperatures	3150 🗆 🗆 🗆	44 🕅 🖂 Gloves used properly	1050 🗆 🗆 🗆		
17	31.50	Utensils and Equipment .2653, .2654, .2663			
18 Proper cooling time & temperatures	31.50	45 A proved, cleanable, properly designed, constructed. & used			
19 🗆 🗆 🖾 Proper hot holding temperatures	31.50	46 🛛 🗆 Warewashing facilities: installed, maintained, & used; test strips	1050 🗆 🗆 🗆		
20 🛛 🗆 🗆 Proper cold holding temperatures	31.50	47 X Non-food contact surfaces clean			
21 🛛 🗌 🔲 Proper date marking & disposition	3 1.5 0 🗆 🗆 🗆	Physical Facilities .2654, .2655, .2656			
22 Time as a public health control: procedures & records	210	48 🛛 🗆 🔲 Hot & cold water available; adequate pressure	210		
Consumer Advisory .2653		49 🔲 🔀 Plumbing installed; proper backflow devices	21 X		
23 X Consumer advisory provided for raw or undercooked foods	1 0.5 0 🗆 🗆	50 🛛 🗆 Sewage & waste water properly disposed			
Highly Susceptible Populations .2653		51 🛛 🗆 🕂 Toilet facilities: properly constructed, supplied & cleaned	10.50		
	31.50	Garbage & refuse properly disposed; facilities			
Chemical .2653, .2657 25 Image: Chemical in the second s		32 Imaintained 53 Imaintained Comparison Physical facilities installed, maintained & clean			
		EA D Meets ventilation & lighting requirements;	+ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$		
26 Image: Conformance with Approved Procedures .2653, .2654, .2658		54 Sector Station & ignuing requirements, designated areas used			
27 Image: Second seco	210	Total Deductions:	4		

this

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BONEFISH GRILL			Estab	Establishment ID: 3034011612			
Location Address: 300 S STRATFORD RD City: WINSTON SALEM State: NC County: 34 Forsyth Zip: 27103 Wastewater System: Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System Permittee: BONEFISH/CAROLINA LIMITED Telephone: (336) 724-4518		ICComme Water s Email	☑ Inspection □ Re-Inspection Date: 11/14/2019 Comment Addendum Attached? □ Status Code: A Water sample taken? □ Yes ☑ No Category #: IV Email 1: BG9406@bonefishgrill.com Email 2:				
		Email	Email 3:				
		Temperati	ure Observa	ations			
		• •		w 41 Degrees or less			
ltem Chicken	Location final cook		cation petizer station	Temp Item Location Tem 41 Saigon Nood. walk-in cooler 40			

appetizer station

sautee station

sautee station

sautee station

sautee station

2-door upright cooler

grill cooler drawers

36

41

39

37

37

39

41

Risotto

Ahi Tuna

Shell stock

Hot Water

Hot Water

Quat Sani

CFP

walk-in cooler

walk-in cooler

PE 2354 SS

dish machine

3-compartment sink

3-compartment sink

E. Galdame 11-07-22

36

36

00

171

115

400

00

Spell

Observations	and Corrective Actions
must be corrected within the	time frames below, or as stated in (

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Salmon

Tomato

Lettuce

Shrimp

Ahi Tuna

Eggs BN Squash final cook

salad station

salad station

salad station

salad station

salad station

appetizer station

145

39

39

34

40

40

40

Scallops

Sword Fish

CS Pasta

Ravioli

Gnocchi

Rice

Crab Cake

8 6-301.12 Hand Drying Provision - PF: No paper towel were available at salad station hand sink. Each hand washing sink or group of 2 adjacent hand washing sinks shall be provided with a individual disposable paper towel. CDI: An employee supplied the sink with disposable paper towel. 0-points *3 out of 4 hand sinks were equipped with disposable paper towel*

- 14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils-REPEAT P: The following items were stored soiled in the clean dish area: 5 plates, 2 pairs of tongs, 2 metal pans, 3 small clear cups, 1 pair of scissors, 1 scooper, and 1 dicer. Food-contact surfaces shall be clean to sight and touch. CDI: All items were moved to the ware washing area to be cleaned.
- 37 3-305.11 Food Storage-Preventing Contamination from the Premises C: A pack of crab meat and bread were on the floor of the walk-in freezer. Food shall be protected from contamination by storing the food at least 6 inches above the floor. 0-points

Lock Text					
Person in Charge (Print & Sign):	Jennifer	First	Wright	Last	76m for Wigh
Regulatory Authority (Print & Sign)	Victoria):	First	Murphy	Last	Vinto Munp
REHS ID	: 2795	- Murphy, Victor	ia		Verification Required Date: / /
REHS Contact Phone Number: (336) 703 - 3814 North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 2 ofFood Establishment Inspection Report, 3/2013					

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BONEFISH GRILL

Establishment ID: <u>3034011612</u>

Observations and Corrective Actions	
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.	
	•

42 4-903.11 (A), (B) and (D) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing - C: Clean dishes are being stored on soiled shelving./Plates are being soiled with debris from overhead contamination. Equipment and utensils shall be stored in a clean, dry location where they are not exposed to splash or contamination.

- 47 4-602.13 Nonfood Contact Surfaces-REPEAT C: Cleaning is needed to/on the following items: freezer floor, all shelves throughout the facility, inside fryers, crevices of appetizer make-unit, supervisor make-station, fan covers in walk-in cooler and on all overhead lamps. Non-food contact surfaces of equipment shall be cleaned at a frequency necessary to preclude accumulation of soil residues.
- 49 5-205.15 (B) System maintained in good repair C: Repair leak at can wash faucet. A plumbing system shall be maintained in good repair. 0-points
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods-REPEAT C: Reattach splash guard to sautee station handsink/Regrout tiles in walk-in cooler. Physical facilities shall be maintained in good repair.//6-501.12 Cleaning, Frequency and Restrictions -REPEAT- C: Cleaning on all walls throughout the kitchen, prep, and warewashing areas./Floor cleaning needed under equipment. Floors, walls, and ceilings, shall be cleaned at a frequency to keep them clean.
- 54 6-303.11 Intensity-Lighting-REPEAT C: Lighting in restrooms measured between 8-10 ft candles. Lighting shall be at least 20 ft candles at plumbing fixtures. 0-points. *lights are being replace in restrooms*





Soell

Establishment Name: BONEFISH GRILL

Establishment ID: 3034011612

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: BONEFISH GRILL

Establishment ID: 3034011612

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: BONEFISH GRILL

Establishment ID: 3034011612

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

