

Food Establishment Inspection Report

Score: 100

Establishment Name: DELI ON MAIN

Establishment ID: 3034012224

Location Address: 234 N MAIN ST

City: KERNERSVILLE State: North Carolina

Zip: 27284 County: 34 Forsyth

Permittee: DELI ON MAIN LLC

Telephone: (336) 992-1300

☒ Inspection ☐ Re-Inspection

Wastewater System:

☒ Municipal/Community ☐ On-Site System

Water Supply:

☒ Municipal/Community ☐ On-Site Supply

Date: 11/29/2022 Status Code: A

Time In: 12:45 PM Time Out: 2:40 PM

Category#: II

FDA Establishment Type: Fast Food Restaurant

No. of Risk Factor/Intervention Violations: 0

No. of Repeat Risk Factor/Intervention Violations: 0

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.

Public Health Interventions: Control measures to prevent foodborne illness or injury

Compliance Status		OUT	CDI	R	VR
Supervision .2652					
1	<input checked="" type="checkbox"/> OUT/N/A	PIC Present, demonstrates knowledge, & performs duties	1	0	
2	<input checked="" type="checkbox"/> OUT/N/A	Certified Food Protection Manager	1	0	
Employee Health .2652					
3	<input checked="" type="checkbox"/> OUT	Management, food & conditional employee; knowledge, responsibilities & reporting	2	1	0
4	<input checked="" type="checkbox"/> OUT	Proper use of reporting, restriction & exclusion	3	1.5	0
5	<input checked="" type="checkbox"/> OUT	Procedures for responding to vomiting & diarrheal events	1	0.5	0
Good Hygienic Practices .2652, .2653					
6	<input checked="" type="checkbox"/> OUT	Proper eating, tasting, drinking or tobacco use	1	0.5	0
7	<input checked="" type="checkbox"/> OUT	No discharge from eyes, nose, and mouth	1	0.5	0
Preventing Contamination by Hands .2652, .2653, .2655, .2656					
8	<input checked="" type="checkbox"/> OUT	Hands clean & properly washed	4	2	0
9	<input checked="" type="checkbox"/> OUT/N/A/N/O	No bare hand contact with RTE foods or pre-approved alternate procedure properly followed	4	2	0
10	<input checked="" type="checkbox"/> OUT/N/A	Handwashing sinks supplied & accessible	2	1	0
Approved Source .2653, .2655					
11	<input checked="" type="checkbox"/> OUT	Food obtained from approved source	2	1	0
12	<input checked="" type="checkbox"/> IN OUT	Food received at proper temperature	2	1	0
13	<input checked="" type="checkbox"/> OUT	Food in good condition, safe & unadulterated	2	1	0
14	<input checked="" type="checkbox"/> IN OUT	Required records available: shellstock tags, parasite destruction	2	1	0
Protection from Contamination .2653, .2654					
15	<input checked="" type="checkbox"/> OUT/N/A/N/O	Food separated & protected	3	1.5	0
16	<input checked="" type="checkbox"/> OUT	Food-contact surfaces: cleaned & sanitized	3	1.5	0
17	<input checked="" type="checkbox"/> OUT	Proper disposition of returned, previously served, reconditioned & unsafe food	2	1	0
Potentially Hazardous Food Time/Temperature .2653					
18	<input checked="" type="checkbox"/> IN OUT	Proper cooking time & temperatures	3	1.5	0
19	<input checked="" type="checkbox"/> IN OUT/N/A/N/O	Proper reheating procedures for hot holding	3	1.5	0
20	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper cooling time & temperatures	3	1.5	0
21	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper hot holding temperatures	3	1.5	0
22	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper cold holding temperatures	3	1.5	0
23	<input checked="" type="checkbox"/> OUT/N/A/N/O	Proper date marking & disposition	3	1.5	0
24	<input checked="" type="checkbox"/> IN OUT	Time as a Public Health Control; procedures & records	3	1.5	0
Consumer Advisory .2653					
25	<input checked="" type="checkbox"/> IN OUT	Consumer advisory provided for raw/undercooked foods	1	0.5	0
Highly Susceptible Populations .2653					
26	<input checked="" type="checkbox"/> IN OUT	Pasteurized foods used; prohibited foods not offered	3	1.5	0
Chemical .2653, .2657					
27	<input checked="" type="checkbox"/> IN OUT	Food additives: approved & properly used	1	0.5	0
28	<input checked="" type="checkbox"/> OUT/N/A	Toxic substances properly identified stored & used	2	1	0
Conformance with Approved Procedures .2653, .2654, .2658					
29	<input checked="" type="checkbox"/> IN OUT	Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan	2	1	0

Good Retail Practices

Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Compliance Status		OUT	CDI	R	VR
Safe Food and Water .2653, .2655, .2658					
30	<input checked="" type="checkbox"/> IN OUT	Pasteurized eggs used where required	1	0.5	0
31	<input checked="" type="checkbox"/> OUT	Water and ice from approved source	2	1	0
32	<input checked="" type="checkbox"/> IN OUT	Variance obtained for specialized processing methods	2	1	0
Food Temperature Control .2653, .2654					
33	<input checked="" type="checkbox"/> OUT	Proper cooling methods used; adequate equipment for temperature control	1	0.5	0
34	<input checked="" type="checkbox"/> IN OUT	Plant food properly cooked for hot holding	1	0.5	0
35	<input checked="" type="checkbox"/> IN OUT	Approved thawing methods used	1	0.5	0
36	<input checked="" type="checkbox"/> OUT	Thermometers provided & accurate	1	0.5	0
Food Identification .2653					
37	<input checked="" type="checkbox"/> OUT	Food properly labeled: original container	2	1	0
Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657					
38	<input checked="" type="checkbox"/> OUT	Insects & rodents not present; no unauthorized animals	2	1	0
39	<input checked="" type="checkbox"/> OUT	Contamination prevented during food preparation, storage & display	2	1	0
40	<input checked="" type="checkbox"/> OUT	Personal cleanliness	1	0.5	0
41	<input checked="" type="checkbox"/> OUT	Wiping cloths: properly used & stored	1	0.5	0
42	<input checked="" type="checkbox"/> OUT/N/A	Washing fruits & vegetables	1	0.5	0
Proper Use of Utensils .2653, .2654					
43	<input checked="" type="checkbox"/> OUT	In-use utensils: properly stored	1	0.5	0
44	<input checked="" type="checkbox"/> OUT	Utensils, equipment & linens: properly stored, dried & handled	1	0.5	0
45	<input checked="" type="checkbox"/> OUT	Single-use & single-service articles: properly stored & used	1	0.5	0
46	<input checked="" type="checkbox"/> OUT	Gloves used properly	1	0.5	0
Utensils and Equipment .2653, .2654, .2663					
47	<input checked="" type="checkbox"/> IN OUT	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed & used	1	0.5	X
48	<input checked="" type="checkbox"/> OUT	Warewashing facilities: installed, maintained & used; test strips	1	0.5	0
49	<input checked="" type="checkbox"/> OUT	Non-food contact surfaces clean	1	0.5	0
Physical Facilities .2654, .2655, .2656					
50	<input checked="" type="checkbox"/> OUT/N/A	Hot & cold water available; adequate pressure	1	0.5	0
51	<input checked="" type="checkbox"/> OUT	Plumbing installed; proper backflow devices	2	1	0
52	<input checked="" type="checkbox"/> OUT	Sewage & wastewater properly disposed	2	1	0
53	<input checked="" type="checkbox"/> OUT/N/A	Toilet facilities: properly constructed, supplied & cleaned	1	0.5	0
54	<input checked="" type="checkbox"/> OUT	Garbage & refuse properly disposed; facilities maintained	1	0.5	0
55	<input checked="" type="checkbox"/> IN OUT	Physical facilities installed, maintained & clean	1	0.5	X
56	<input checked="" type="checkbox"/> OUT	Meets ventilation & lighting requirements; designated areas used	1	0.5	0
TOTAL DEDUCTIONS:					0



Comment Addendum to Food Establishment Inspection Report

Establishment Name: DELI ON MAIN
 Location Address: 234 N MAIN ST
 City: KERNERSVILLE State: NC
 County: 34 Forsyth Zip: 27284
 Wastewater System: ☒ Municipal/Community ☐ On-Site System
 Water Supply: ☒ Municipal/Community ☐ On-Site System
 Permittee: DELI ON MAIN LLC
 Telephone: (336) 992-1300

Establishment ID: 3034012224
☒ Inspection ☐ Re-Inspection Date: 11/29/2022
 Comment Addendum Attached? ☒ Status Code: A
 Water sample taken? ☐ Yes ☒ No Category #: II
 Email 1: rancell@triad.rr.com
 Email 2:
 Email 3:

Temperature Observations

Effective January 1, 2019 Cold Holding is now 41 degrees or less

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
Au Jus 12:45	Cooling on Ice in Reach In	51						
Au Jus 1:15	Cooling on Ice in Reach In	39						
Potato Soup	Hot Hold	168						
Pasta Salad	Hot Hold	39						
Sliced Turkey	Reach In	40						
Sliced Ham	Reach In	40						
Ambient	Deli Case	40						
Pastrami	Deli Case	39						
Sliced Turkey	Deli Case	38						
Sliced Ham	Deli Case	40						
Turkey	Flip Top	39						
Turkey	Flip Top	38						
Ham	Flip Top	39						
Tomato	Flip Top	36						
Lettuce	Flip Top	38						
Corned Beef	Flip Top	38						
Sanitizer Chlorine	Spray Bottle	100						
Sanitizer Chlorine	3 Compartment Sink	100						
Hot Water	3 Compartment Sink	134						
Jo Ancell CFPM	ServeSafe 4-28-2027	0						

Person in Charge (Print & Sign): Jo *First* Last Ancell
 Regulatory Authority (Print & Sign): Glen *First* Last Pugh

[Signature]
[Signature]

REHS ID: 3016 - Pugh, Glen
 REHS Contact Phone Number: (336) 703-3164

Verification Required Date: _____
 Authorize final report to be received via Email: _____



North Carolina Department of Health & Human Services

Page 1 of _____
 DHHS is an equal opportunity employer.
 Food Establishment Inspection Report, 10/2021

• Division of Public Health • Environmental Health Section • Food Protection Program



Comment Addendum to Inspection Report

Establishment Name: DELI ON MAIN

Establishment ID: 3034012224

Date: 11/29/2022 **Time In:** 12:45 PM **Time Out:** 2:40 PM

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 47 4-501.11 Good Repair and Proper Adjustment - Equipment (C) - Equipment shall be maintained in good repair.
***The deli case has a large amount of ice build up on heat exchange and the drain is clogged (a pan is in place to catch the drip).
- 55 6-501.11 Repairing - Premises, Structures, Attachments, and Fixtures - Methods (C) - Physical facilities shall be maintained in good repair.
***The walls in the restroom are bowed out and coming loose from the structure.