Food Establishment Inspection	Report		Score: <u>95</u>	
Establishment Name: KFC G135198 Establishment ID: 3034012245				
Location Address: 826 SOUTH MAIN STREET				
City: KERNERSVILLE State: NC Date: Ø9/10/2020 Status Code: A				
Zip: 27284 County: 34 Forsyth				
Permittee: FQSR LLC	Total Time: 2 hrs 55 minutes			
Telephone: (336) 993-2249		Category #: _III		
Wastewater System: Municipal/Community	On Site Sv	FDA Establishment Type: Fast Food Restaurar	nt	
		No. of Risk Factor/Intervention Violations	s: _0	
Water Supply: Municipal/Community On-	Sile Supply	No. of Repeat Risk Factor/Intervention V	iolations:	
Foodborne Illness Risk Factors and Public Health Inte Risk factors: Contributing factors that increase the chance of developing foodb		Good Retail Practices Good Retail Practices: Preventative measures to control the addition of	nathogens, chemicals	
Public Health Interventions: Control measures to prevent foodborne illness or		and physical objects into foods.	Jamogono, ononnoaio,	
IN OUT N/A N/O Compliance Status	OUT CDI R VF		OUT CDI R VR	
Supervision .2652 1 Image: Comparison of the second seco	2 0	Safe Food and Water .2653, .2655, .2658 28 28 Pasteurized eggs used where required		
Image: Second state of the second state of				
2 X Anagement, employees knowledge; responsibilities & reporting	31.50			
3 X Proper use of reporting, restriction & exclusion	31.50			
Good Hygienic Practices .2652, .2653		Proper cooling methods used; adequate		
4 🔀 🗌 Proper eating, tasting, drinking, or tobacco use	210	31 A C equipment for temperature control 32 C A Plant food properly cooked for hot holding		
5 🔀 🗌 No discharge from eyes, nose or mouth		33 X Approved thawing methods used		
Preventing Contamination by Hands .2652, .2653, .2655, .2656				
6 X Hands clean & properly washed	42000	Ecod Identification 2653		
7 Image: Constraint of the second	31.50	35 X Food properly labeled: original container	21000	
8 🛛 🗆 Handwashing sinks supplied & accessible		Prevention of Food Contamination .2652, .2653, .2654, .2656, .		
Approved Source .2653, .2655 9 🛛 🗆 Food obtained from approved source		☐ 36 🖾 🔲 Insects & rodents not present; no unauthorized animals		
		37 🛛 🗆 Contamination prevented during food preparation, storage & display	210	
		38 🗌 🛛 Personal cleanliness	10.5 🗶 🗆 🗆 🗆	
11 X Food in good condition, safe & unadulterated 12 Image: Constraint of the second straight of		39 🔀 🔲 Wiping cloths: properly used & stored	10.50	
12 Image: Construction from Contamination	210	40 🛛 🗆 🗆 Washing fruits & vegetables	10.50	
13 ⊠ □ □ Food separated & protected	31.50	Proper Use of Utensils .2653, .2654		
14 🛛 🗌 Food-contact surfaces: cleaned & sanitized	31.50	41 🛛 🗌 In-use utensils: properly stored	10.50	
Proper disposition of returned, previously served,		42 🛛 🗆 Utensils, equipment & linens: properly stored, dried & handled	10.50	
IS Image: I		43 🛛 🗆 Single-use & single-service articles: properly stored & used	10.50	
16 🗆 🗆 🖾 Proper cooking time & temperatures	3150	44 🛛 Gloves used properly	10.50	
17 🗆	31.50	Utensils and Equipment .2653, .2654, .2663		
18 🔲 🗌 🖾 Proper cooling time & temperatures	3150 🗆 🗆 🗆	45 Karl Karl Karl Karl Karl Karl Karl Karl		
19 🔀 🔲 🔲 Proper hot holding temperatures	31.50	46 🖾 🗆 Warewashing facilities: installed, maintained, & used; test strips		
20 🔀 🗔 🔲 Proper cold holding temperatures	31.50	47 X Non-food contact surfaces clean		
21 🔀 🗌 🔲 Proper date marking & disposition	31.50	Physical Facilities .2654, .2655, .2656		
22 Time as a public health control: procedures & records	21000	48 🛛 🗆 Hot & cold water available; adequate pressure	210 🗆 🗆	
Consumer Advisory .2653		49 🔲 🔀 Plumbing installed; proper backflow devices		
23 Consumer advisory provided for raw or undercooked foods		50 🛛 🗆 Sewage & waste water properly disposed		
Highly Susceptible Populations .2653		51 🛛 🗆 🗆 Toilet facilities: properly constructed, supplied.	10.50	
		52 🛛 🗌 Garbage & refuse properly disposed; facilities maintained		
Chemical .2653, .2657 25 X Food additives: approved & properly used	10.50	53 X Physical facilities installed, maintained & clean		
26 X Image: Construction of the state of		Meets ventilation & lighting requirements;		
Conformance with Approved Procedures .2653, .2654, .2658		□ ³⁴ □ designated areas used □		
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	21000	Total Deduction	ns: ⁵	
	<u> </u>			

SHAS

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Inspection Report				
Establishment Name: KFC G135198	Establishment ID: 3034012245			
Location Address: 826 SOUTH MAIN STREET City: KERNERSVILLE State: NC County: 34 Forsyth Zip: 27284 Wastewater System: Municipal/Community Waster Supply: Municipal/Community On-Site System Permittee: FQSR LLC Telephone: (336) 993-2249	Inspection Re-Inspection Date: 09/10/2020 Comment Addendum Attached? Status Code: A Water sample taken? Yes No Email 1: 198@kbp-foods.com Category #: III Email 2: Email 3:			
Temperature Observations				
Cold Holding Temperature is now 41 Degrees or less				

ltem chicken thigh	Location warming cabinet	Temp 140	Item chicken pie	Location walk-in cooler #2	Temp 40	Item	Location	Temp
chicken breas	warming cabinet	142	chicken	walk-in cooler #2	40			
chicken wing	warming cabinet	154	hot water	3 compartment sink	139			
g. beans	steam table	150	quat sani	3 comp sink 150ppm	00			
mac&cheese	steam table	160	quat sani	bucket 150ppm	00			
mash potato	steam table	160	servsafe	T. Johnson 6/16/25	00			
mac&cheese	walk-in cooler	40						
cole slaw	walk-in cooler #2	40	_					

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

38 2-402.11 Effectiveness-Hair Restraints - C- One food employee actively working with food was not wearing an effective hair restraint- Food employees shall wear hair coverings or nets, beard restraints and clothing that covers body hair and are worn to effectively keep their hair from contacting exposed food, clean equipment, utensils and linen- 0 pts.

- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C-Replace the non-functioning light bulb under the exhaust hood at the frying station. Remove the screw and fill the holes in the rear panel of the handwash sink next to the frying station so that the surface is smooth and easy to clean. Recondition the underside of the drainboards of the 3 compartment sink to remove and prevent rusting- Equipment shall be maintained in a state of good repair.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C- Cleaning is needed on the following pieces of equipment, including but not limited to: The heater coils and exterior surfaces of the fry warmer, exterior surfaces of the Henny Penny warming boxes and other equipment at the hot holding station, the underside of the prep table next to the drive through window beverage machine, the dunnage racks inside of the walk-in cooler (WIC), the surfaces of the speed rack inside of the small WIC, gaskets of the refrigeration equipment, the storage racks for paper and single use items and the wire Lock basket for storage of clean utensils above the 3 compartment sink- Nonfood contact surfaces of equipment shall be kept free of an Text accumulation of food residue, dust, dirt and other debris.

()

Person in Charge (Print & Sign): Gregory	, , ,	<i>Last</i> Roberts	Kom Zhat h
Regulatory Authority (Print & Sign): Damon	First	<i>Last</i> Thomas	DH. REHSE # 2877
REHS ID: 287	′ - Thomas, Da	mon	Verification Required Date: / /
REHS Contact Phone Number: (<u>3</u> North Carolina Department of Health	DHH 3		oloyer.

√ Soell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: KFC G135198

Establishment ID: 3034012245

	Observations and Corrective Actions
	Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.
40	5.005.45 (D) Queters resident in and reacting O, DEDEAT. The similar states is the found in the second state in

49	5-205.15 (B) System maintained in good repair - C- REPEAT- The significant leak at the faucet in the can wash needs to be
	repaired- A plumbing system shall be maintained in good repair.

6-501.12 Cleaning, Frequency and Restrictions - C- General floor and baseboard cleaning is needed throughout, including but not limited to: the floors inside of the walk-in refrigeration equipment, beneath the hot holding station, beneath the three compartment sink and along the frying station. Clean the residue from the FRP behind the 3 compartment sink, ceiling grid and ceiling tiles. Replace as necessary- Physical facilities shall be cleaned as often as necessary to keep them clean.// 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C- Remove screws and fill holes in the FRP behind the 3 compartment sink to create a smooth surface. Repair the damaged baseboard at the entrance of the WIC and repair the hole in the wall at the drain line behind the 3 compartment sink. Physical facilities shall be maintained in good repair.





Spell

Establishment Name: KFC G135198

Establishment ID: 3034012245

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: KFC G135198

Establishment ID: 3034012245

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: KFC G135198

Establishment ID: 3034012245

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

